

FIXINGS

<u>cat</u>	<u>tav</u>	<u>#</u>	<u>use</u>	<u>quan</u>	<u>type</u>	<u>size</u>	<u>washer</u>	<u>washer</u>			BUY
								<u>strength</u>	<u>spring</u>	<u>flat</u>	
engine	01*	6	carb mount	8	nut	M08	nut split			8.8	h
engine	01*	7	oil filler	2	nut	M08	nut split			8.8	h
engine	01*	15	tappet cover screws	7	washer	ID12 OD 20 x 2 thick	fiber				h
engine	01*	21	oil filler	8	washer	M08	flat			8.8	h
engine	01*	33	head	14	allen	M08 x 105	flat double thick	hardened			h
engine	01*	34	head placement	2	allen	M08,6 x 105	flat double thick	hardened			h
engine	01*	35	head to block front	3	allen	M08 x 32	flat thick	10.9		10.9	h
engine	01*	39	oil filler head	2	bolt	M06 x 20	flat	8.8		8.8	h
engine	01*	45	sparkplug lead holder tappet cov.	4	grommet	7mm ID					h
engine	02*	4	block to crank	15	washer	M08	spring		10.9		h
engine	02*	7	block to crank exhaust side	8	bolt	M08 x 38	spring	10.9	10.9		h
engine	02*	8	block to crank inlet side	6	bolt	M08 x 32	spring	10.9	10.9		h
engine	02*	10	timing chain idler mount	2	bolt	M6x15 short head Allen	spring	10.9	10.9		h
engine	02*	13	block to crank, back	3	bolt	M10 x 47 metric fine	spring	10.9	10.9		h
engine	02*	14	block to crank	3	washer	M10	spring		10.9		h
engine	02*	18	block to crank, front in chain cavity	1	bolt	M08 x 34	spring	10.9	10.9		h
engine	03*	15	cover to crank	9	washer	M8	flat thick			8.8	h
engine	04*	19	starter plate to crank	11	bolt	M08 x 30	flat thick	8.8		8.8	h
engine	04*	29	torque mount	4	bolt	M08 x 25	spring	8.8	8.8		h
engine	05*	3	sump	1	washer	copper ID 22 OD 28,5 T 2 thick	copper				h
engine	05*	9	sump	19	allen	M06 x 25	flat x 11mmOD			8.8	h
engine	05*	10	sump	4	allen	M06 x 60	flat x 11mmOD			8.8	h
engine	06*	19	flywheel to crank	6	bolt	M10 x 20 metric fine.6mm thick head	lockplate	10.9			h
engine	07*	23	chain tensioner.	2	bolt	M08 x 30	flat	8.8		8.8	h
engine	08*	1	camshaft caps	8	bolt	M08 x 70 20 thread	flat thick 2mm	10.9		10.9	h
engine	08*	25	camshaft caps	4	bolt	M08 x 64 20 thread	flat thick 2mm	10.9		10.9	h
engine	08*	26	camshaft caps	2	bolt	M08 x 40 20 thread	flat thick 2mm	10.9		10.9	h
engine	09*	4	engine frame forward mount	3	bolt	M08 x 16	flat + star	10.9	10.9	10.9	h
engine	09*	11	engine mount to block	8	bolt	M08 x 20	cup	8.8	8.8		h
engine	09*	18	engine mount to block	9	washer	M10	flat			8.8	h
engine	09*	19	engine mount to block	9	washer	M08	star internal			8.8	h
engine	09*	20	engine mount	1	washer	M10	star internal			8.8	h
engine	09*	21	gearbox upper mount to leaf spring	4	washer	M08	spring			8.8	h
engine	09*	22	gearbox lower mount	1	washer	M10	cup		8.8		h
engine	09*	27	gearbox lower rear mount	1	bolt	M10 x 115	cup		8.8		h
engine	09*	32	engine lower mount	2	bolt	M8x95 20 thread	star internal		8.8		h
engine	11*	11	tank mount	10	bolt	M06 X 15	flat fender	5.6		5.6	h
fuel tank	11*	12	Fuel tank drain plug	1	washer	copper ID 26 OD 34,5 T 1,4	copper				h
fuel tank	11*		petrol tank	10	nut	M06 cage nut petrol tank	no washer	5.6			h
carbs	13*	79	Airbox to carb through trumpets	8	washer	M06	star internal				h
carbs	14*	24	carb spacer to manifold	8	washer	M08	flat			8.8	h
carbs	14*	25	carb spacer to manifold	8	washer	M08	star internal			8.8	h
engine	15*	1	airbox support mount	1	grommet	14mm outer					h
engine	15*	4	air box	2	nut	M06 wing nuts s/steel	flat			5.6	h
exhaust	17*	1	exhaust hangers	6	bolt	M06 x 20 s/steel	flat	5.6		5.6	h
exhaust	17*	6	exhaust to manifold	3	nut	M08 x 25 long extender nut	no washer				h

FIXINGS

<u>cat</u>	<u>tav</u>	<u>#</u>	<u>use</u>	<u>quan</u>	<u>type</u>	<u>size</u>	<u>washer</u>	<u>washer</u>			BUY
								<u>strength</u>	<u>spring</u>	<u>flat</u>	
exhaust	17*	7	exhaust hangers	6	nut	M06 split nut	spring			5.6	h
exhaust	17*	16	exhaust hangers	6	washer	M06 s/steel	fender washer			5.6	h
exhaust	17*	21	exhaust manifold bolts	8	bolt	M08 x 25	flat thick	8.8		8.8	h
interior	18*	8	accelerator pedal mount	3	scew	M06 x 15 screw c/s domed star					h
engine	20*	11	oil pump cover	9	washer	M06	spring		8.8		h
engine	20*	12	oil pump mount	2	washer	M08	spring		8.8		h
engine	20*	13	oil pickup bolt	2	bolt	M06 x 18	spring	8.8	8.8		h
engine	20*	17	oil pump cover	5	allen	M06 x 20	spring		8.8		h
engine	20*	18	oil pump mount	2	bolt	M08 x 30	spring	8.8	8.8		h
engine	21*	11	oil filter mount	3	washer	M08	flat			8.8	h
engine	21*	16	oil filter mount	3	bolt	M08 x 30	flat	8.8		8.8	h
engine	24*	14	Water pump mount	7	washer	M06	flat			8.8	h
engine	24*	18	water pump	7	bolt	M06 x 28	flat	8.8		8.8	h
engine	24*	19	water pump cover	7	allen	M06 x 16 short head Allen	no washer				h
engine	24*	27	water pump/alternator	3	bolt	M06 x 40	spring	8.8	8.8		h
gearbox	27*	3	clutch arm return spring + starter	1	circlip	12mm ID shaft cut					h
gearbox	27*	9	bell housing/engine starter	2	allen	M08 x 70 20 thread				8.8	h
gearbox	27*	13	bell housing/engine starter	2	nut	M08	flat+star internal	8.8		8.8	h
gearbox	27*	22	clutch arm for return spring	1	washer	M18	flat			5.6	h
gearbox	27*	35	bell housing/engine	10	washer	M08	flat 2mm thick			8.8	h
engine	27*	25	starter and clutch lever	3	washer	M08	star internal			8.8	h
engine	27*	29	press. Plate to fly wheel	6	bolt	M08 x 20	spring	8.8	8.8		h
gearbox	27*	30	bell housing/engine	10	allen	M08 x 40 20 thread	flat 2mm thick			8.8	h
interior	28*	14	pedal mount housing +steering	9	nut	M06 Split	flat			5.6	h
interior	28*	38	pedal mount housing	5	bolt	M06 x 25	flat	5.6		5.6	h
interior	28*	41	steering column cover	4	screw	M05 x 32 c/s					h
gearbox	30*	6	half case joints	48	nut	M08	flat	8.8		8.8	h
gearbox	30*	7	half case joints	1	nut	M06 dome nuts	flat+Oring	8.8		8.8	h
gearbox	30*	8	half case joints	6	nut	M08 dome nuts	flat+Oring	8.8		8.8	h
gearbox	30*	10	half case joints	2	nut	M06 nut	no washer	8.8			h
gearbox	30*	41	gearbox drain copper washer	2	washer	copper ID 22 OD 28,5 T 2 thick	copper				h
brakes	39*	1	booster top	10	allen	M04 x 15 Allen S/s brake mast.cyl	flat	8.8		8.8	h
brakes	40*	2	front calipers	4	splitpin	4 x 90 x 4,5					h
brakes	41*	2	rear calipers	4	splitpin	4 x 80 x 4,5					h
body	42*	24	handbrake under plate	4	washer	M08	star internal			8.8	h
body	42*	32	handbrake under plate	4	bolt	M08 x 20	star internal	8.8	8.8		h
body	42*	36	Handbrake strap under car	1	insert	6mm square hole & 4mm screw					h
steering	42*	37	handbrake trim plate	6	screw	4 x 12 s/tap S/steel round star	no washer				h
subframe	44*	7	alu sframe	2	bolt	M08 x 70, 25 thread	flat	8.8		8.8	h
subframe	44*	8	alu sframe	6	bolt	M08 x 80, 25 thread	flat	8.8		8.8	h
subframe	44*	18	subframe	4	washer	M10	flat			8.8	h
subframe	44*	23	subframe	6	washer	M10	spring		8.8		h
subframe	44*	41	subframe mount front	2	bolt	M12 x 100 thread 30 long Metric fine	spring + flat		8.8	8.8	h
subframe	44*	42	subframe mount rear	2	bolt	M12 x 110 thread 30 long Metric fine	spring		8.8		h
subframe	44*	40	subframe mount middle above	2	bolt	M12 x 85 thread 30 long Metric fine	spring + flat		8.8	8.8	h
steering	46*	7	steering column universals	2	nut	M08 split	no washer				h

FIXINGS

cat	tav	#	use	quan	type	size	washer	washer			BUY
								strength	spring	flat	
steering	46*	25	steering column universals	2	bolt	M08 x 45	no washer	8.8			h
gearbox	50*	18	drive shaft/ gearbox joint	12	bolt	M08 x 22 10mm thread	lock plate	10.9			h
suspension	52*	7	shock front lower	2	bolt	M08 x 55 25 thread	no washer	8.8			h
suspension	52*	14	anti roll bar front	4	nut	M08	lock plate	8.8			h
suspension	52*	14	rollbar front, end	2	nut	M08	lock plate	8.8			h
suspension	52*	26	rollbar front	4	bolt	M08 x 16	spring	8.8	8.8		h
suspension	52*	26	front anti rollbar mount	4	bolt	M08 X 16	spring	8.8	8.8		h
suspension	52*	34	shock front lower	2	nut	M08 split	no washer	8.8			h
suspension	55*	7	rear shock top mount	2	bolt	M08 x 80 20 thread	cup	8.8	8.8		h
suspension	55*	8	rear shock bottom mount	2	bolt	M08 x 55 20 thread	cup	8.8	8.8		h
suspension	55*	10	rear shock mount	4	nut	M08	cup	8.8	8.8		h
suspension	55*	17	rear shock top mount	8	washer	M06	flat			8.8	h
suspension	55*	20	rear shock top mount	8	washer	M06	cup		8.8		h
suspension	55*	26	rear shock top mount	8	bolt	M06 x 16	cup+flat	8.8	8.8	8.8	h
suspension	56a	16	rear anti roll bar mount	4	bolt	M08 X 16	cup	8.8	8.8		h
suspension	56a	20	silent block rear leaf spring plate	8	bolt	M08 x 16	cup	8.8	8.8		h
suspension	56a	21	front of rear leaf springs	4	splitpin	2 x 20					h
suspension	56a	43	rear suspension	22	washer	M08	cup		8.8		h
suspension	56a	44	anti roll bar rear	4	rollpin	24 x 4.5					h
wheels	57*	5	wheel centres	4	o-ring	ID 73 - thickness 2mm					h
engine	58a	12	battery tray clamp	2	wingnut	M06	flat				h
engine	61a	41	boot bonet light	10	screw	4 x 10 s/tap.phil. round					h
lights	63a	3	Headlight mount	12	screw	M05 x 22 star cheese head s/steel					h
lights	63a	19	Headlight trim s/steel	12	screw	M03 x10 s/steel					h
body	64a	19	Side indicator	12	washer	M04	star external		5.6		h
body	64a	20	front indicator mount	4	washer	M05	star external		5.6		h
body	64a	23	front indicator lens fixing bolt	4	bolt	M05 x 20 pan star reduce head dia	O ring	5.6			h
door	64a	24	door edge lights	4	screw	4.5 x 16 s/tap.phil. round					h
body	64a		front indicator fixing bolt	4	bolt	M04 x 10 long nut+M05x20 bolt	star external	5.6	5.6		h
body	65a	15	tail light lens indicator side	4	bolt	M04 x 20 reduce head dia	O ring	5.6			h
body	65a	15	tail light lens brake light side	4	bolt	M04 x 25 reduce head dia	O ring	5.6			h
body	68a	6	heatshield	2	nut	M06	flat	5.6		5.6	h
body	68a	28	door to hinge bolt	12	Bolt	M8 x 25	spring	5.6		5.6	h
body	68a	30	heatshield	2	bolt	M06 x 16	flat+cup	5.6	5.6	5.6	h
body	68a	33	Door striker bolts	8	screw	M6x15 s/s C/s star					h
body	71a	2	bonnet/boot hinge	4	circlip	7mm ID					h
engine	71a	49	bonnet safety catch	2	bolt	M5 x 15	flat				h
body	71a	51	bonnet hinge	8	bolt	M6 x 12 s/s	flat 18mm OD			5.6	h
engine	71a	52	bonet front weather strip	6	screw	3.2 x 12 phil. pan s/tap.					h
engine	71a	54	bonet stay clip	2	screw	3,5 x 10 phil. pan s/tap.					h
body	72a	2	front number plate holder	2	screw	M05 x 10 pan star					h
body	72a	2	front number plate holder	2	screw	M05 x 20 pan star					h
body	73a	1	bonnet/boot hinge	4	circlip	7mm ID					h
body	73a	3	rear number plate	4	screw	M05 x 15 star pan s/steel	flat				h
body	73a	17	rear number plate	4	washer	5mm ID shoulder	shoulder, rubber				h
body	73a	19	front/rear crome trim fixing screws	20	screw	2.9 x 6 phil. S/S s/tapper cheese					h

FIXINGS

<u>cat</u>	<u>tav</u>	<u>#</u>	<u>use</u>	<u>quan</u>	<u>type</u>	<u>size</u>	<u>washer</u>	<u>washer</u>			BUY
								<u>strength</u>	<u>spring</u>	<u>flat</u>	
body	73a	39	boot lock	4	washer	M06	star internal		5.6		h
body	73a	51	boot hinge	8	bolt	M6 x 12 s/s	flat 18mm OD			5.6	h
body	73a	53	boot lock	4	screw	M06 x 12 cheesehead star	star internal				h
body	74a		rear num plate light valance	1	grommet	14mm outer					h
body	75a	13	gutter fixing screws	36	screw	3 x 9 phillips. round s/tap. s/s					h
interior	76a	2	door arm rests	4	screw	M05 x 25 pan head					h
body	76a	6	window sill outer strip	10	screw	2.2 x 6. C/S s/tap.star					h
body	76a	13	felt strip. glue too	12	screw	4mm dia head x 6mm s/tapper					h
body	76a	20	door wind.upright+ door handle	6	nut	M04 cage nuts					h
body	76a	21	door wind.upright+ door handle	20	nut	M05 cage nuts	no washer				h
body	76a	42	window channel door mount	12	screw	M05 x 12 phill.cheese s/s(flathead)	star int x2 +flat				h
interior	76a	46	door card S/S top trim	14	screw	2.9 x 6 phil. C/S s/tapper					h
body	77a	38	window winder mechanism fixing	6	washer	M05 star external	star external		5.6		h
body	77a	52	window winder mech.fixing	6	screw	M05 x 15 star, dome	star external				h
body	77a	54	door lock mech.fixing	6	screw	M05 x 20 screw C/S round					h
window	78a	19	front vent mount screws	6	allen	M05 x 20 s/s					h
body	81*	5	Rear vent latch	2	dome nut	M05 s/steel					h
body	81*	18	rear quart.ventlight lower trim	6	screw	3 x 12 s/tap.c/s s/steel					h
body	81*	19	mount rear quarter light catch	6	screw	4.2 x 20 s/tap.c/s s/steel raised					h
interior	82a	8	seat mount	2	nut	M08	flat+spring	8.8			h
interior	82a	15	seat mount	2	washer	M08	flat			5.6	h
interior	82a	23	seat mount screws	8	screw	M08 x 15 star pan s/steel					h
interior	82a	25	seat back to chrome hinges	8	screw	M06 x 16 star c/s s/steel					h
body	83a	1	door jamb loose cover plate	10	screw	4.2 x 10 s/tap.phil. Raised C/S					h
body	83a	2	door sill outer strip	10	screw	3.5 x 12. C/S s/tap.star round					h
body	83a	2	sill strip	10	screw	4 x 12 s/tap.phil. Raised C/S					h
interior	83a	11	inner sill strip	6	screw	3,5 x 12 s/tap.phil. Round pan C/S					h
body	83a	14	Sun visors	8	screw	4 x 12 s/tap.phil.Raised C/S S/Steel					h
body	83a	18	Map pockets	8	screw	2.9 x 15 s/tap.phil.Raised S/Steel					h
body	83a	21	gutters	16	screw	3.5 x 9 s/tap.phil.Raised S/Steel					h
interior	84a	4	cubby hinge	4	nut	M04 dome nut s/s	star internal				h
interior	84a	8	instrument cluster to frame	4	screw	M05 x 10 s/s star pan	flat				h
interior	84a	39	cubby lock	3	screw	3,5 x 15 Round s/s star					h
interior	84a	42	Centre console speaker	4	circlip	M06					h
interior	84a	42	console air grille	4	washer	M06 x 19 s/s fender washer	flat			5.6	h
interior	84a		dash mounting in glove box	2	bolt	M05 x 20	flat fender	5.6		5.6	h
interior	84a		dash wood mount.pass.side	1	nut	M04	flat	5.6		5.6	h